Building product declaration 2015

according to BPD associations' standardised format eBVD2015

Flexible ducts 2 - DRATMFU, DRATU

1. BASIC DATA

Document data

 Id:
 Version:

 A-7300009-00795-0-56
 3

 Created:
 Last saved:

 2021-02-24 08:21:29
 2021-02-24 08:57:32

 Changes relates to:
 Changes relates to:

Flexible ducts 2 - DRATMFU, DRATU

Article name:

Flexible ducts 2 - DRATMFU, DRATU

Declaration of contents and article no

Article No/ID concept

Article identity: GTIN

7319660223777, 7319660223784, 7319660226655, 7319660226662, 7319660226679, 7319660226686, 7319660226693, 7319660226709, 7319660226716, 7319660226723, 7319660226730, 7319660226747, 7319660226754, 7319660226761, 7319660226778, 7319660226785, 7319660226792, 7319660226808, 7319660226815, 7319660226822, 7319660226839, 7319660226846, 7319660226853, 7319660226860, 7319660226877, 7319660226884, 7319660226891, 7319660226907, 7319660226914, 7319660226921, 7319660226938, 7319660226945, 7319660226952, 731966022696, 7319660226986, 7319660226983, 731966022690, 7319660227003, 7319660227010, 7319660227027, 7319660227034, 7319660227041, 7319660227058, 7319660227065

Product group/Product group classification

Product group system	Product group id
BK04	21002
BK04	21006
BSAB96	QLB.15

Article description:

Other information:

Flexible aluminium ventilation duct and galvanised steel safe connections. Achieves tightness class C. Assessments at Byggvarubedömningen etc. are registered under the name "Flexibla kanaler 2". It is also possible to use the article name as search criteria.

Declarations of performance:	Declaration of performance number:
Not applicable	

Lindab Sverige AB

Company name:	Organisation number:
Lindab Sverige AB	556247-2273

Address:	Contact person:
Järnvägsgatan 41	Matilda Isaksson
E-mail:	Telephone:
matilda.isaksson@lindab.com	+46 72 353 44 61
VAT number:	Website:
SE556247227301	www.lindab.se
GLN:	DUNS:
Environmental certification system	
BREEAM BREEAM-SE LEED 2009 References	LEED version 4 Miljöbyggnad (Swedish certifica
Reference Widman J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholn The International Aluminium Institute (IAI), Sustainability, http://www.world-ai	
Annexes	
Annex https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADhttps://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADSUSTAINABILITY WORK Company's certification	DS/Lindab/Building_product_Declarations/Attachment/Sikacryl_BVD_Vent18 DS/Lindab/Building_product_Declarations/Attachment/Sikacryl_Säkerhetsdat
✓ ISO 9001	
Policies and guidelines	
The company has a code of conduct/policy/guidelines for dealing with the requirements This is third-party audited	social responsibility in the supplier chain, including produces for ensuring
If yes, which if the following guidelines have you affiliated to or management	system you have implemented
UN guiding principles for companies and human rights	
ILO's eight core conventions	
OECD Guidelines for Multinational Enterprises	
✓ UN Global Compact	
ISO 26000	

Other policy guidelines

2.

Management system							
	If you have a managen	nent system for corporate socia	I responsibility, what or	ut of the following is included in the	work?		
	Mapping						
	Risk analysis						
	Action plan						
	Monitoring	Monitoring					
	Sustainability reporting	Sustainability reporting guidelines:					
	GRI - Global Reporting	Initiative					
3.	DECLARA	TION OF CO	NTENTS				
	Chemical conf	tent					
	Enter chemical content article".	t for the whole article. The conc	entration is calculated	at component level according to th	e principle of "once	an article always ar	
	Is there a safety data sheet for the article?		Is there classification of the artic	cle?			
	Not applicable		Not applicable				
	Enter which version of the candidate list has been used (Year, month, day)		For complex products, the concentration of included substances has been calculated at:				
			component level				
	The article is covered by the RoHS Directive:		Enter the weight of the article:				
	No						
	Enter how large a proportion of the material content has been declared [%]:						
	100						
	If the article contains n	f the article contains nanomaterials deliberately added to obtain a particular function, enter these here:					
	The product does not o	contain deliberately added nano	material				
	Is the article registered in Basta?		Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:				
	Yes						
	Other information:						
	Article and/or	sub-components					
	Phase	Delivery					
	Component Connections		Weight% of produc	ct=62			
	Comment						
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance	
	Sealant	Sikacryl®□ Vent 188 N	<2	-			
				ched BPD and SDS			
	Steel	Galvanized steel	>98	EN 10346			

Weight% of product=33.8

Comment

Component

Duct

	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Metal	Aluminium	=100	EN AW-8009		
	Component	Safe sealing strip		Weight% of product	:1.2 <x<2.3< td=""><td></td></x<2.3<>	
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Rubber	EPDM	80 <x<85< td=""><td>25034-71-3</td><td></td><td></td></x<85<>	25034-71-3		
			Comment: Applies to D	RATU/DRATMFU		
	Rubber	Paraffin oil	15 <x<20< td=""><td>8012-95-1</td><td></td><td></td></x<20<>	8012-95-1		
			Comment: Applies to D	RATU/DRATMFU		
	Component	Sealant		Weight% of product		
	Comment					
	Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
		Sikacryl®□ Vent 188 N	=100	-		П
			Comment: See attache	d BPD and SDB for Sikacryl®□	Vent 188 N	
	Component	Steel band		Weight% of product	:=1.9	
	Comment					
			Consontration	EG/CAS/Alternative	Candidate	Phasing-out
	Material	Substance	Concentration interval (%)	designation	list	substance
	Material Steel	Steel				_
1.	RAW MA Raw material Total recycle	Steel	interval (%) =100	designation		_
l .	RAW MA Raw material Total recycle	TERIALS Is and material in the artic	interval (%) =100	designation		_
l.	RAW MA Raw material Total recycle	TERIALS Is and material in the artic	interval (%) =100	designation		_
1.	RAW MA Raw material Total recycle	TERIALS Is and material in the artic	interval (%) =100	designation		_
1.	RAW MA Raw material Total recycle Is recycled ma	Steel TERIALS Is ed material in the article?	interval (%) =100 cle	designation	list	substance
1.	RAW MA Raw material Total recycle Is recycled ma	Steel TERIALS Is ed material in the article?	interval (%) =100 Cle Proportion before the	designation DX51A AZ150 EN 10346	list	substance
1.	RAW MA Raw material Total recycle Is recycled ma Material Aluminium Proportion after	TERIALS Is ed material in the article? r the consumer stage	interval (%) =100 Cle Proportion before the	designation DX51A AZ150 EN 10346 e consumer stat Weight	list	substance
1.	RAW MA Raw material Total recycle Is recycled ma Material Aluminium Proportion after 39 Comment	TERIALS Is ed material in the article? r the consumer stage	interval (%) =100 cle Proportion before the	designation DX51A AZ150 EN 10346 e consumer stat Weight 57,9 %	/percent by w	eight

Material			
Steel			
Proportion after the consumer stage	Proportion before	the consumer stag	Weight/percent by weight
100	0		20 %
Comment			
About 20% recycled material are being used in the	production of steel.		
Renewable material			
Enter proportion of renewable material in the article than 10 years):	e (short cycle, less	Enter proportion of renevation 10 years):	wable material in the article (long cycle, more than
0		0	
Included biobased raw material is tested acc	cording to ASTM test meth	nod D6866:	
Is there supporting documentation for the raw mate recycling processes or similar (for example BES 60			
No			
Wood raw materials			
Wood raw materials are included		Included wood rav	w material is certified
How large a proportion is certified [%]?			
What certification system has been used (for exam	ple FSC, CSA, SFI with C	CoC, PEFC)?	
Reference number:			
Enter logging country for the wood raw material and	d that following criteria ha	ve been met. Country of I	ogging:
Does not contain type of wood or origin in Cl	ITES appendix of endang	ered species	
The timber has been logged legally and ther	re is certification for this		

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?			
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:		
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:		
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:		
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:		
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:		
If there is environmental product declaration or other life cycle assessme from a life cycle perspective:	nt, describe how the environmental impact of the article is taken into account		
Country of final manufacture: ELI			

6. DISTRIBUTION

Distribution of finished article

Does the supplier use Retursystem Byggpall?

Yes

No

Does the supplier apply any system with multiple-use packaging for the article?

No

System System with multiple-use packaging for the article?

No

Yes

If yes, which packaging and which system?

Förpacknings & Tidningsinsamlingen

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

8.

Does the article make special requirements in storage?	
Yes	
Specify	
To prevent soiling and oxidation, the product should be stored protected fro See Lindab's product catalogue for more information.	om the weather.
Does the article make special requirements for surrounding building products?	
No	
Specify	
Other information:	
USE PHASE	
Use phase	
Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
>50 years	
Comment:	
Lifetime depends on the environment where the product is being used. Cor See Lindab's product catalogue for more information.	rrosive environments can affect the life of the product negatively.
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
Not applicable	
Other information:	

9. DEMOLITION

Demolition

Is	s the article prepared for disassembly (dismantling)?	
Υ	Yes	
S	Specify:	
Т	The rubber and steel can be seperated.	
D e	Does the article require special measures for protection of health and environment in demolition/disassembly?	
N	No	
S	Specify:	
С	Other information:	
)	WASTE MANAGEMENT	
L	Delivered article	
ls	s the supplied article covered by the Ordinance (2014:1075) on producer	r responsibility for electrical and electronic products when it becomes waste?
N	No	
ls	s reuse possible for the whole or parts of the article when it becomes was	ste?
Y	Yes	
S	Specify:	
Т	The entire product can be reused.	
ls	is material recovery possible for the whole or parts of the article when it b	pecomes waste?
Y	Yes	
S	Specify:	
~	~99% of the material can be recycled.	
ls	s energy recovery possible for the whole or parts of the article when it be	ecomes waste?
Y	Yes	
S	Specify:	
Н	Heat recovery occurs at smelter.	
D	Does the supplier have restrictions and recommendation for re-use, mate	erial or energy recovery or landfilling?
Y	Yes	
	On a nife u	
S	Specify:	
	Should be recycled according to recommended waste code.	
S		waste
S	Should be recycled according to recommended waste code.	waste

	When the supplied article becomes waste, is it classified as hazardous waste?				
No Mounted article					
	Is the mounted article classified as hazardous was	te?			
	No				
	Other information				
11	. INDOOR ENVIRONM Indoor environment	IENT			
	The article is not intended for indoor use				
	The article does not produce any emissions				
	Emissions from the article not measured				
	Does the article have a critical moisture state? No If yes, state what:				
	Noise	Electrical field	Magnetic fields		
	Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?		
	No	No	No		
	Value:	Value:	Value:		
	Unit:	Unit:	Unit:		
	Measuring method:	Measuring method:	Measuring method:		
	Paints and varnishes				
	The article is resistant to fungi and algae in	use in wet areas			
	Emissions				

The article produces the following emissions in intended use:

Other information